EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S49	12	S48 and (sav$4 stor$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/03 10:58
S48	13	(US-20050132031-$ or US-20080235372-$ or US-20050289065-$ or US-20050283445-$ or US-20040199793-$ or US-20030172064-$).did. or (US-7426738-$ or US-7315826-$ or US-7024431-$ or US-7292537-$ or US-7076547-$ or US-7222190-$ or US-6725243-$).did.	US-PGPUB; USPAT	OR	ON	2009/03/03 10:58
S50	12	S48 and (sav$4 stor$5 updat$4 replac$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/03 10:59
S51	13	S48 and (sav$4 stor$5 updat$4 replac$4 histor$4 stat$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/03 11:00
S52	8	S48 and ((sav$4 stor$5 updat$4 replac$4 histor$4 stat$5) same (flag$4 mark$4 tag$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/03 11:30
S53	82	("709"/$ "707"/$).ccls. and (measur$5 with performanc$4 with (router parameter performanc$4 server node device)) and ((sav$4 stor$5) with (measur$5 value character$5 tim$4 timestamp$4 code) with (tim$5 timestamp$4 chang$4 updat$4) with (table list listing database)) and ((flag$4 tag$4 mark$4) with (measur$5 value character$5 tim$4 timestamp$4 code) with (old new obsolete changed (up near2 date) "up-to-date"))	US-PGPUB; USPAT	OR	ON	2009/03/03 11:35

EAST Search History

S54	57	("709"/$ "707"/$).ccls. and (measur$5 with performanc$4 with (router parameter performanc$4 server node device)) and ((sav$4 stor$5) with (measur$5 value character$5 tim$4 timestamp$4 code) with (tim$5 timestamp$4 chang$4 updat$4) with (table list listing database)) and ((flag$4 tag$4 mark$4) with (measur$5 value character$5 tim$4 timestamp$4 code) with (old new obsolete changed (up near2 date) "up-to-date")) and histor$5	US-PGPUB; USPAT	OR	ON	2009/03/03 11:42
S55	83	("709"/$ "707"/$).ccls. and (measur$5 with (router parameter performanc$4 server node device)) and ((sav$4 stor$5) with (measur$5 value character$5 code) with (table list listing database)) and ((flag$4 tag$4 mark$4) with (measur$5 value character$5 record data code) with (old new obsolete changed (up near2 date) "up-to-date")) and (histor$5 with (table list listing database))	US-PGPUB; USPAT	OR	ON	2009/03/03 12:40
S57	471	(measur$5 with (router parameter performanc$4 server node device)) and ((sav$4 stor$5) with (measur$5 value character$5 code) with (table list listing database)) and ((flag$4 tag$4 mark$4) with (measur$5 value character$5 record data code) with (old new obsolete changed (up near2 date) "up-to-date")) and (histor$5 with (table list listing database))	US-PGPUB; USPAT	OR	ON	2009/03/03 12:41
S56	59	S55 not S54	US-PGPUB; USPAT	OR	ON	2009/03/03 12:41
S59	66	("709"/$ "707"/$).ccls. and (monitor$4 with (router parameter performanc$4 server node device)) and ((sav$4 stor$5) with (measur$5 value character$5 code) with (table list listing database)) and ((flag$4 tag$4 mark$4) near5 (measur$5 value character$5 record data code) near5 (old new obsolete changed (up near2 date) "up-to-date")) and (histor$5 with (table list listing database))	US-PGPUB; USPAT	OR	ON	2009/03/03 13:17

EAST Search History

S58	148	("709"/$ "707"/$).ccls. and (monitor$4 with (router parameter performanc$4 server node device)) and ((sav$4 stor$5) with (measur$5 value character$5 code) with (table list listing database)) and ((flag$4 tag$4 mark$4) with (measur$5 value character$5 record data code) with (old new obsolete changed (up near2 date) "up-to-date")) and (histor$5 with (table list listing database))	US-PGPUB; USPAT	OR	ON	2009/03/03 13:17
S61	73	S58 not S55	US-PGPUB; USPAT	OR	ON	2009/03/03 13:19
S60	39	S59 not S55	US-PGPUB; USPAT	OR	ON	2009/03/03 13:19
S62	733	(measur$5 with (router parameter performanc$4 server node device)) and ((sav$4 stor$5) with (measur$5 value character$5 code) with (table list listing database)) and ((flag$4 field tag$4 mark$4) with (measur$5 value character$5 record data code) with (old new obsolete changed (up near2 date) "up-to-date") with (table list listing database))	US-PGPUB; USPAT	OR	ON	2009/03/04 16:13
S63	298	(measur$5 with (router parameter performanc$4 server node device)) and ((sav$4 stor$5) with (measur$5 value character$5 code) with (table list listing database)) and ((flag$4 field tag$4 mark$4) near5 (measur$5 value character$5 record data code) near5 (old new obsolete changed (up near2 date) "up-to-date") with (table list listing database))	US-PGPUB; USPAT	OR	ON	2009/03/05 11:30
S65	7	S64 and ((first reference) near4 database)	US-PGPUB; USPAT	OR	ON	2009/03/09 11:23

EAST Search History

S64	22	(US-20050132031-$ or US-20080235372-$ or US-20050289065-$ or US-20050283445-$ or US-20040199793-$ or US-20030172064-$ or US-20020091836-$ or US-20040117358-$ or US-20020124011-$ or US-20020107861-$ or US-20020091712-$).did. or (US-7426738-$ or US-7315826-$ or US-7024431-$ or US-7292537-$ or US-7076547-$ or US-7222190-$ or US-6725243-$ or US-7136645-$ or US-6581069-$ or US-7487155-$ or US-7107285-$).did.	US-PGPUB; USPAT	OR	ON	2009/03/09 11:23
S66	77	("709"/$ "707"/$).ccls. and (measur$5 with (router parameter performanc$4 server node device)) and ((sav$4 stor$5) with (measur$5 value character$5 code) with (table list listing database)) and ((flag$4 field tag$4 mark$4) near5 (measur$5 value character$5 record data code) near5 (old new obsolete changed (up near2 date) "up-to-date") with (table list listing database))	US-PGPUB; USPAT	OR	ON	2009/03/09 11:32
S68	77	("709"/$ "707"/$).ccls. and (measur$5 with (router parameter performanc$4 server node device)) and ((sav$4 stor$5) with (measur$5 value character$5 code) with (table list listing database)) and ((flag$4 field tag$4 mark$4) near5 (measur$5 value character$5 record data code) near5 (old new obsolete changed (up near2 date) "up-to-date") with (table list listing database))	US-PGPUB; USPAT	OR	ON	2009/03/09 15:21
S67	298	(measur$5 with (router parameter performanc$4 server node device)) and ((sav$4 stor$5) with (measur$5 value character$5 code) with (table list listing database)) and ((flag$4 field tag$4 mark$4) near5 (measur$5 value character$5 record data code) near5 (old new obsolete changed (up near2 date) "up-to-date") with (table list listing database))	US-PGPUB; USPAT	OR	ON	2009/03/09 15:21

S70	51	S69 not ("709"/$ "707"/$).ccls.	US-PGPUB; USPAT	OR	ON	2009/03/09 15:25
S69	72	(measur$5 with (router parameter performanc$4 server node device)) and ((sav$4 stor$5) with (measur$5 value character$5 code) with (table list listing database)) and ((flag$4 field tag$4 mark$4) near5 (measur$5 value character$5 record data code) near5 (old obsolete changed (up near2 date) "up-to-date") with (table list listing database))	US-PGPUB; USPAT	OR	ON	2009/03/09 15:25
S71	32	(US-20050132031-$ or US-20080235372-$ or US-20050289065-$ or US-20050283445-$ or US-20040199793-$ or US-20030172064-$ or US-20020091836-$ or US-20040117358-$ or US-20020124011-$ or US-20020107861-$ or US-20020091712-$ or US-20080196108-$ or US-20070208805-$ or US-20060100957-$ or US-20040193480-$).did. or (US-7426738-$ or US-7315826-$ or US-7024431-$ or US-7292537-$ or US-7076547-$ or US-7222190-$ or US-6725243-$ or US-7136645-$ or US-6581069-$ or US-7487155-$ or US-7107285-$ or US-7143339-$ or US-6993582-$ or US-6738798-$ or US-6643698-$ or US-6393578-$ or US-5134574-$).did.	US-PGPUB; USPAT	OR	ON	2009/03/09 16:25
S72	20	S71 and ((table list listing database) with (old obsolete changed (up near2 date) "up-to-date"))	US-PGPUB; USPAT	OR	ON	2009/03/09 16:26
S73	29	S71 and ((table list listing database) with (old new obsolete changed (up near2 date) "up-to-date"))	US-PGPUB; USPAT	OR	ON	2009/03/09 16:34
S74	591	(measur$4 with (qos (quality near3 service))) and ((table list listing database) with (old new obsolete changed (up near2 date) "up-to-date"))	US-PGPUB; USPAT	OR	ON	2009/03/10 15:26

S77	33	(measur$4 with (qos (quality near3 service))) and (measur$4 with (table list listing database) with (old new obsolete changed (up near2 date) "up-to-date"))	US-PGPUB; USPAT	OR	ON	2009/03/10 15:27
S76	6	(measur$4 with (qos (quality near3 service))) and (measur$4 with (table list listing database) with (old obsolete changed (up near2 date) "up-to-date"))	US-PGPUB; USPAT	OR	ON	2009/03/10 15:27
S75	178	(measur$4 with (qos (quality near3 service))) and ((table list listing database) with (old obsolete changed (up near2 date) "up-to-date"))	US-PGPUB; USPAT	OR	ON	2009/03/10 15:27
S79	189	S78 not S77	US-PGPUB; USPAT	OR	ON	2009/03/10 15:51
S78	193	("709"/$ "707"/$).ccls. and (measur$4 with (qos (quality near3 service))) and ((table list listing database) with (old new obsolete changed (up near2 date) "up-to-date"))	US-PGPUB; USPAT	OR	ON	2009/03/10 15:51
S80	153	("709"/$ "707"/$).ccls. and (measur$4 with (qos (quality near3 service))) and ((table list listing database) same ((measur$5 data information parameter field) with (old new obsolete changed (up near2 date) "up-to-date")))	US-PGPUB; USPAT	OR	ON	2009/03/10 15:54
S82	164	("709"/$ "707"/$).ccls. and (measur$4 with (qos (quality near3 service))) and ((table list listing database) same ((measur$5 data information parameter field) with (old obsolete changed updat$4 (up near2 date) "up-to-date")))	US-PGPUB; USPAT	OR	ON	2009/03/10 15:55
S81	62	("709"/$ "707"/$).ccls. and (measur$4 with (qos (quality near3 service))) and ((table list listing database) same ((measur$5 data information parameter field) with (old obsolete changed (up near2 date) "up-to-date")))	US-PGPUB; USPAT	OR	ON	2009/03/10 15:55
S83	192	("709"/$ "707"/$).ccls. and (measur$4 with (qos (quality near3 service))) and ((table list listing database) same ((measur$5 data information parameter field) with (old new obsolete changed updat$4 (up near2 date) "up-to-date")))	US-PGPUB; USPAT	OR	ON	2009/03/10 15:58

S85	161	("709"/$ "707"/$).ccls. and (measur$4 with (qos (quality near3 service))) and ((table list listing database) same ((measur$5 data information parameter field) with (old obsolete changed updat$4 (up near2 date) "up-to-date"))) and ((measur$5 data information parameter field) with (new updat$4))	US-PGPUB; USPAT	OR	ON	2009/03/10 15:59
S84	189	("709"/$ "707"/$).ccls. and (measur$4 with (qos (quality near3 service))) and ((table list listing database) same ((measur$5 data information parameter field) with (old new obsolete changed updat$4 (up near2 date) "up-to-date"))) and ((measur$5 data information parameter field) with (new updat$4))	US-PGPUB; USPAT	OR	ON	2009/03/10 15:59
S87	58	(measur$4 with (qos (quality near3 service))) and ((table list listing database) same ((measur$5 data information parameter field) with (new updat$4 obsolete changed updat$4 (up near2 date) "up-to-date"))) and ((measur$5 data information parameter field) with (older oldest))	US-PGPUB; USPAT	OR	ON	2009/03/10 17:17
S86	21	("709"/$ "707"/$).ccls. and (measur$4 with (qos (quality near3 service))) and ((table list listing database) same ((measur$5 data information parameter field) with (new updat$4 obsolete changed updat$4 (up near2 date) "up-to-date"))) and ((measur$5 data information parameter field) with (older oldest))	US-PGPUB; USPAT	OR	ON	2009/03/10 17:17
S88	37	S87 not S85	US-PGPUB; USPAT	OR	ON	2009/03/10 17:18
L1	80	709/223,224.ccls. and (measur$4 with (qos (quality near3 service))) and ((table list listing database) same ((measur$5 data information parameter field) with (old new obsolete changed updat$4 (up near2 date) "up-to-date"))) and ((measur$5 data information parameter field) with (new updat$4))	US-PGPUB; USPAT	OR	ON	2009/03/11 14:26